

The image is a full-page advertisement for a marble tile. The background is a light-colored marble with a complex, organic pattern of veins and spots in shades of grey, white, and beige. In the bottom right corner, there is a triangular section of a different marble tile, showing a more pronounced, layered pattern in warm brown and tan tones. A semi-transparent rectangular box is positioned in the upper right area, containing the product name and dimensions.

HV-glossy
600 x 1200mm.

VERSATILE SIZES AND SURFACES FOR INNOVATIVE SPACES.

INNOVATION FOR TOP ARCHITECTURE

Veritaas Granito stands of innovation that elevates architecture to a rare art form. It leverages design features in such a fashion that architects are to unleash their creativity and give shape to spaces in an unhindered way. provides unparalleled innovation quotient for architecture to flourish.

INDUSTRIAL EXPERTISE FOR TECHNICAL PERFECTION

From inception of an idea to manufacturing it to perfection, Rollence possesses staggering industrial expertise for technical excellence. At Veritaas, excellence is the only standard that we maintain.

VISIONARY DESIGN

Veritaas Granito is the perfect combination of visionary design and technological performance, a creative partner anywhere in the world for any type of architectural project requiring distinction through unique, recognizable style.

INSPIRING DESIGNERS

The visionary design philosophy propels us towards the consortium of designers who are looking to push the frontiers of design. We collaborate with designers of international repute and provide the impetus of their design aspirations.

SURFACE ART

GLOSSY/ HIGH GLOSSY/ RUSTIC

SIZE

600 x 1200mm.



APPLICATION



AIRPORT



RESTAURANT



FITTED KITCHEN AND
BATHROOM FURNITURE



HOTELS



RETAIL MALLS



SPA AND WELLNESS
CENTRES



OFFICES



SHOPS



MUSEUMS



VENTILATED CURTAIN
WALLS



HOMES



INTERIOR DESIGN
AND FURNISHINGS

NEW PRODUCTION TECHNOLOGIES
BRING UP THE CHALLENGE OF
CREATING MATERIALS CAPABLE OF
SHAPING THE SPACE TECHNICALLY
AND ESTHETICLY IN AN EFFICIENT WAY

POSSIBILITIES



FEATURES



HIGHLY UV
RESISTANT



RESISTANT TO
SCRATCHES



WATERPROOF



RESISTANCE TO
CHEMICAL ATTACK



LIGHTNESS



LIGHTNESS



FROST
RESISTANCE



RESISTANT TO
STAINS



RECYCLABLE







EASY TO CLEAN



FIREPROOF



Hi-Glossy



9527




SIZE
600 x 1200mm




THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-4



Hi-Glossy



AMAZON



SIZE
600 x 1200mm




THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-3



Hi-Glossy



APOLLO BLACK




SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY


RANDOM
FACE-4



Hi-Glossy



BEACON BLACK



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY


RANDOM
FACE-7



Hi-Glossy



BEACON BROWN



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY



RANDOM
FACE-7



BLISS CONCEPTS
CORPORATE
BUILDING

- 5. Executive Board
- 4. Financial & Legal
- 3. Research & Development
- 2. Sales & Marketing
- 1. Meeting Rooms

Hi-Glossy





BLACK IMPERIAL



SIZE	THICKNESS	FINISH	RANDOM
600 x 1200mm	9mm	HI-GLOSSY	FACE-3



Hi-Glossy



BLACK PORTRO



SIZE
600 x 1200mm




THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-4



Hi-Glossy




— DIAMOND EMPERADOR BLACK —



SIZE	THICKNESS	FINISH	RANDOM
600 x 1200mm	9mm	HI-GLOSSY	FACE-3



Hi-Glossy



— ENDURANCE BLACK ZED —



SIZE 600 x 1200mm	THICKNESS 9mm	FINISH HI-GLOSSY	RANDOM FACE-3
----------------------	------------------	---------------------	------------------



Hi-Glossy



JASPER EARTH AZUL



SIZE 600 x 1200mm	THICKNESS 9mm	FINISH HI-GLOSSY	RANDOM FACE-4
----------------------	------------------	---------------------	------------------



Hi-Glossy



JASPER EARTH ROCK



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-4



Hi-Glossy



— LAVA ONYX NRA —



SIZE	THICKNESS	FINISH	RANDOM
600 x 1200mm	9mm	HI-GLOSSY	FACE-3



Hi-Glossy




———— MARMO PULPIS CHOCO ————



SIZE	THICKNESS	FINISH	RANDOM
600 x 1200mm	9mm	HI-GLOSSY	FACE-4



Hi-Glossy



MARQUINA BROWN



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY



RANDOM
FACE-3



Hi-Glossy



PANDA MARBLE



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-6



Hi-Glossy



RENOIR NATURAL BLACK



SIZE
600 x 1200mm



THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-4



Hi-Glossy





———— RIVER SMOKE BLACK ————



SIZE	THICKNESS	FINISH	RANDOM
600 x 1200mm	9mm	HI-GLOSSY	FACE-2



Hi-Glossy





VG 1205



SIZE	THICKNESS	FINISH	RANDOM
600 x 1200mm	9mm	HI-GLOSSY	FACE-4



Hi-Glossy




VG 1211







SIZE 600 x 1200mm	THICKNESS 9mm	FINISH HI-GLOSSY	RANDOM FACE-3
----------------------	------------------	---------------------	------------------



Hi-Glossy



VG 4006



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY


RANDOM
FACE-6



Hi-Glossy



VG 4007



SIZE
600 x 1200mm




THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-6



Hi-Glossy



VG 4008



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY


RANDOM
FACE-4



Hi-Glossy



VG 4009



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-5



Hi-Glossy



VG 4013



SIZE
600 x 1200mm


THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-4



Hi-Glossy



VG 4014



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-4



Hi-Glossy



VG 4019



SIZE
600 x 1200mm


THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-1



Hi-Glossy



VG 4020



SIZE
600 x 1200mm


THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-1



Hi-Glossy



VG 4038



SIZE
600 x 1200mm



THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-2



Hi-Glossy



VG 4039



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-2



Hi-Glossy



VG 4040



SIZE
600 x 1200mm




THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-4



Hi-Glossy



VG 4041



SIZE
600 x 1200mm




THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-2



Hi-Glossy



VG 4042



SIZE
600 x 1200mm


THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-3



Hi-Glossy





VG 4043



SIZE	THICKNESS	FINISH	RANDOM
600 x 1200mm	9mm	HI-GLOSSY	FACE-2



Hi-Glossy



VG 4044



SIZE
600 x 1200mm



THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-3



Hi-Glossy






VG 4045



SIZE	THICKNESS	FINISH	RANDOM
600 x 1200mm	9mm	HI-GLOSSY	FACE-3



Hi-Glossy



VG 4046



SIZE
600 x 1200mm




THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-3



Hi-Glossy



VG 4047

- For wall application
- For floor application
- Fine detailing
- Stain resistant
- Water resistant
- More glossiness

SIZE
600 x 1200mm


THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-2



Hi-Glossy



VG 4048

- For wall application
- For floor application
- Fine detailing
- Stain resistant
- Water resistant
- More glossiness

SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-2



Hi-Glossy



VG 4049



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
HI-GLOSSY

RANDOM
FACE-1

Hi - Glossy



DORATO AQUA



SIZE
600 x 1200mm

THICKNESS
9mm

FINISH
GLOSSY

RANDOM
FACE-4



TECHNICAL SPECIFICATIONS

Sr no.	Characteristics	International Std. ISO 13006 / En 14411 Group B1a	Specifications	Method Of Testing
Dimensions & Surface Quality				
1	Length	±0.6%	±0.1%	ISO 10545-2
2	Thickness	±5.0%	±3.0%	ISO 10545-2
3	Straightness Of Sides	±0.5%	±0.1%	ISO 10545-2
4	Rectangularity	±0.5%	±0.1%	ISO 10545-2
5	Surface Flatness	±0.5%	±0.1%	ISO 10545-2
6	Glossiness (Only For Polished Products)	Declared By Manufacturer	92-105%	ISO 2813(Gloss Meter)
7	Surface Quality	Min. 95% Tiles Should Be Free From Defects	Min. 98% Tiles Are Free From Defects	ISO 10545-2
Physical Characteristics				
8	Water Absorption	E≤ 0.50%	≤ 0.50%	ISO 10545-3
9	Moh's Hardness	≥ 6	≥ 6	ISO 10545-3
10	Moisture Expansion	Nil	Nil	ISO 10545-10
11	Abrasion Resistance	Declared By Manufacturer	Pei 3-5 (Depend On Product)	ISO 10545-7
Mechanical Characteristics				
12	Flexural Strength (MOR)	≥ 35 N/mm ² (350 Kg/cm ²)	≥ 37 N/mm ² (370 Kg/cm ²)	ISO 10545-4
13	Breaking Strength	1300 Newton	2000 Newton	ISO 10545-4
14	Impact Resistance	Declared By Manufacturer	No Indentation or Cracking	ISO 10545-5
Safety Characteristics				
15	Skid Resistance(Dynamic Friction Coefficient)	≥ 0.4	≥ 0.4	ISO 10545-17
16	Density	≥ 2.0 Gm/cc	≥ 2.3 Gm/cc	DIN 51082
Thermo Photo Characteristics				
17	Thermal Shock Resistance	Resistant to 10 Cycles	Pass Min. 10 Cycles	ISO 10545-9
18	Frost Resistance	Frost Proof	Need To Comply With The Standard	ISO 10545-12
19	Coefficient of Linear Thermal Expansion	9x10-6 K-1	> 5.86x10-6 K-1	ISO 10545-8
20	Color Resistance to UV Light	Resistant	Resistant	ISO 10545-16
Chemical Characteristics				
17	Chemical Resistance: Household Chemicals & Swimming Pool Salts	Min. Class - Gb	Conform to Classes - Ga	ISO 10545-13
18	Chemical Resistance: Low Concentration Acids & Alkalis	Min. Class - G1b	Conform to Classes - G1a	ISO 10545-13
19	Chemical Resistance: High Concentration Acids & Alkalis	Min. Class - G1b	Conform to Classes - G1a	ISO 10545-13
20	Stain Resistance	Min. Class - 3	Conform to Classes - 4	ISO 10545-14

Packing Details:

Tile Size	No. of Tiles Per Box	Coverage Area (Approx.) (sq. Mtr.)	Coverage Area (Approx.) (sq. Mtr.)	Box Weight (Approx.) (kg)
600mm x 1200mm	2 pcs.	1.44 sq mtr	15.5 sq ft	29 kg (APP)